

Certificate of Analysis

Releaf Technologies

11107 HWY 90 E Kingsbury, TX 78638 cwo@releaftech.com 917-338-1284

Sample: 07-12-2024-52079

Sample Received:07/12/2024;

Report Created: 07/15/2024; Expires: 07/15/2025

Cream **Topical**





ND% **Total THC**

 Δ -9 THC

5.384% **Total Cannabinoids** 5.364%

ND%

Total CBD

Cannabinoids Complete

(Testing Method:HPLC, CON-P-3000) Date Tested: 07/12/2024

Analyte	LOD	LOQ	Mass	Mass	
	%	%	%	mg/g	
Δ-8-Tetrahydrocannabinol (Δ-8 THC)	0.0099	0.0148	ND	ND	
Δ -9-Tetrahydrocannabinol (Δ -9 THC)	0.0099	0.0148	ND	ND	
Δ-9-Tetrahydrocannabinolic Acid (THCA-A)	0.0099	0.0148	ND	ND	
Δ-9-Tetrahydrocannabiphorol (Δ-9-THCP)	0.0099	0.0148	ND	ND	
Δ -9-Tetrahydrocannabivarin (Δ -9-THCV)	0.0099	0.0148	ND	ND	
Δ -9-Tetrahydrocannabivarinic Acid (Δ -9-THCVA)	0.0099	0.0148	ND	ND	
R- Δ -10-Tetrahydrocannabinol (R- Δ -10-THC)	0.0099	0.0148	ND	ND	
S- Δ -10-Tetrahydrocannabinol (S- Δ -10-THC)	0.0099	0.0148	ND	ND	
9R-Hexahydrocannabinol (9R-HHC)	0.0099	0.0148	ND	ND	
9S-Hexahydrocannabinol (9S-HHC)	0.0099	0.0148	ND	ND	
Tetrahydrocannabinol Acetate (THCO)	0.0099	0.0148	ND	ND	
Cannabidivarin (CBDV)	0.0099	0.0148	0.020	0.203	
Cannabidivarinic Acid (CBDVA)	0.0099	0.0148	ND	ND	
Cannabidiol (CBD)	0.0099	0.0148	5.364	53.635	
Cannabidiolic Acid (CBDA)	0.0099	0.0148	ND	ND	
Cannabigerol (CBG)	0.0099	0.0148	ND	ND	
Cannabigerolic Acid (CBGA)	0.0099	0.0148	ND	ND	
Cannabinol (CBN)	0.0099	0.0148	ND	ND	
Cannabinolic Acid (CBNA)	0.0099	0.0148	ND	ND	
Cannabichromene (CBC)	0.0099	0.0148	ND	ND	
Cannabichromenic Acid (CBCA)	0.0099	0.0148	ND	ND	
Total			5.384	53.838	

 $Total\ THC = THCa*0.877 + \Delta 9 - THC; Total\ CBD = CBDa*0.877 + CBD; LOQ = Limit\ of\ Quantitation;\ ND = Not\ Detected.$

Total THC Measurement of Uncertainty: \pm 0.040% Total CBD Measurement of Uncertainty: \pm 2.000% THCO potency analysis does not designate quantitative specificity of Δ -8-THCO and Δ -9-THCO isomers

NEW BLOOM LABS

New Bloom Labs 6121 Heritage Park Drive, A500 Chattanooga, TN 37416 (844) 837-8223 TN DEA#: RN0563975

ANAB Testing Laboratory (AT-2868): ISO/IEC 17025:2017

ashly N Phillips Ashley N. Phillips, M. Sc Laboratory Director

Powered by reLIMSinfo@relims.com

All analyses were conducted at 6121 Heritage Park Dr, Suite A500 Chattanooga, TN 37416. Results published on this certificate relate only to the items tested. Items are tested as received. New Bloom Labs makes no claims as to the efficacy, safety, or other risks associated with any detected or non-detected level of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of New Bloom Labs.